



NOTES - PROFILES
 PLATE THICKNESS:
 MATERIAL:
 FINISH: AS PER SPECIFICATION
 HOLES AND OUTSIDE ARE CLEAN CUT
 OTHERWISE WILL BE REJECTED



PROFILE A
 THICKNESS: 100mm
 MATERIAL: S355J2+N
 QUANTITY: 4 OFF



PROFILE B
 THICKNESS: 25mm
 MATERIAL: S355J2+N
 QUANTITY: 8 OFF

00	MSG	16/12/13	FOR QUOTATION/PRODUCTION
REV	BY	DATE	DESCRIPTION

DRAWING TITLE:
**300t SWL 0.5m
 DELTA PLATE**

JOB DESCRIPTION:
**SCHMIDBAUER
 J3816**

Modulift®
 working between the hook and the load
 A MODULIFT COMPUTER DESIGN
 12 Albany Business Park, Poole
 Dorset, BH17 7BX U.K.
 Tel +44 (0)1202 621511 Fax +44 (0)1202 632811
 www.modulift.com

SCALE: NTS		DRG REF:	
DRAWN BY: MSG		DATE: 16/12/13	
CHECKED BY: SJC	DATE: 16/12/13		
APPROVED BY: SJC	DATE: 16/12/13		
DRAWING NO: J3816-02-P01			REV: 00

This drawing was compiled using AutoCAD and must only be revised by the holder of the original folder.
 © This document is the property of the Modulift UK Ltd and may not be copied or communicated to a Third Party, or used for any purpose other than that for which it is supplied without the express written authority of Modulift UK Ltd

All Dimensions in mm
 PROFILE TOLERANCES
 LASER CUT = ±0.3mm
 PLASMA CUT = ±2mm
 FLAME CUT = ±2mm